

# CERTIFICATE OF ANALYSIS

# Standard Solution of Trichothecenes mixture SF4 in Methanol LCMS grade

## **Description of the standard**



Product name:	Standard Solution of Trichothecenes mixture SF4							
Product number:	FIA000433							
CAS number:	Deoxynivalenol	51481-10-8						
	Nivalenol	23282-20-4						
	Fusarenon-X	23255-69-8						
	15-Acetoxyscirpenol	2623-22-5						
	3-Acetyl-Deoxynivalenol	50722-38-8						
	15-Acetyl-Deoxynivalenol	88337-96-6						
	Diacetoxyscirpenol	2270-40-8						
	Neosolaniol	36519-25-2						
	T2 Triol	34114-98-2						
	HT2 Toxin	26934-87-2						
	T2 Toxin	21259-20-1						
	Zearalanone	5975-78-0						
	Alpha Zearalanol	26538-44-3						
	Beta Zearalanol	42422-68-4						
Batch:	SF419062401							
Expiry date:	24-Dec-2026							
Certified value (s):	Deoxynivalenol	3,20	μg/mL					
	Nivalenol	8,00	μg/mL					
	Fusarenon-X	3,20	μg/mL					
	15-Acetoxyscirpenol	1,52	µg/mL					
	3-Acetyl-Deoxynivalenol	2,00	µg/mL					
	15-Acetyl-Deoxynivalenol	2,00	μg/mL					
	Diacetoxyscirpenol	2,96	μg/mL					
	Neosolaniol	1,52	μg/mL					
	T2 Triol	1,04	μg/mL					
	HT2 Toxin	1,60	μg/mL					
	T2 Toxin	0,24	μg/mL					
	Zearalanone	1,30	μg/mL					
	Alpha Zearalanol	4,00	μg/mL					
	Beta Zearalanol	4,00	μg/mL					
Physical description								
Packing	Amber glass vial filled with 10 mL o	or solution						
torage conditions	≤-10°C							
Matrix and starting	This material was prepared with/from:							
material:	Methanol LCMS Grade			P4A580164				
	Deoxynivalenol Nivalenol		Internal ID:	DON18112601 NIV17102302				
	Fusarenon-X		FUS19060401					
	15-Acetoxyscirpenol		MAS17103002					
	3-Acetyl-Deoxynivalenol		3ACD18090302					
	15-Acetyl-Deoxynivalenol		15ACD18042401					
	Diacetoxyscirpenol		DAS18040301					
	Neosolaniol		NEO17021502					
	T2 Triol HT2 Toxin		TRI18061401 HT219033101					
	T2 Toxin		T218042301					
	Zearalanone		ZEA18082702					
	Alpha Zearalanol		SS-AZL-17071801					
	Beta Zearalanol			SS-BZL-17071801				



#### Intended use of the standard:

For laboratory use only. Not for drug, household or other uses. The main purpose of this material is:

- Demonstrate mastery of a measurement process within a laboratory over a given period;
- Check the performance of the instrument:
- Repeatability and reproducibility studies: repeated use over a long period of time, instruments, operators, etc., to estimate the long-term reproducibility or robustness of a measuring process or that of a laboratory;
- · Confirm the degree of equivalence of measurement results from at least two laboratories (e.g. supplier and user);
- Check variability due to the operator;
- Study the impact of any variation in environmental conditions (e.g. temperature, humidity).

#### Instruction for the correct use of the standard:

The vial should be stored in a dark place at ≤ -10°C. Before usage of the standard, allow the vial to warm to room temperature. If condensation is present on the bottle, the bottle should be wiped before opening. Homogenization can be done by vortexing for at least 10 seconds. There is no indication as to the vortex speed, but the vortex must be visible to the user. The bottle should not be left open on the bench, it should be opened only to take the necessary quantity and immediately closed. The expiry date of this standard is based on the current knowledge and holds only for proper storage conditions in the originally closed vials / packages.

#### Hazardous situation:

H225: Flammable liquid - Category 2 - Highly flammable liquid and vapour

H301: Acute toxicity - Oral - Category 3 - Toxic if swallowed

H311: Acute toxicity - Dermal - Category 3 - Toxic in contact with skin

H331: Acute toxicity - Inhalation - Category 3 - Toxic if inhaled

H370: Acute toxicity - Organs - Category 1 - Causes damage to organs

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid exposure. Wear suitable protective clothing.

#### Safety measures:

Special care must be taken when manipulating this standard. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Use in a chemical fume hood. Safety shower and eye bath must be near. In case of spills, cover and absorb with an inert dry material such as dry-lime, sand or soda ash and place in an appropriate waste disposal container.

Keep container tightly closed. Do not store in direct sunlight. Keep away from heat, sparks, flame and incompatible material. Storage area should be cool, dry and away from incompatible materials.

Final users should conduct their own investigations to determine the suitability of the information for their particular research purposes. Under no circumstances will the supplier of this standard be held responsible for any damage resulting from handling or contact with the product.

More information are avaible on the SDS online on www.fianovis.com/documentation.

#### Commutability

As part of the standards produced by Fianovis, the property values are guaranteed for chromatography analysis. For another use, the user must make additional qualification to use it in this context.

#### Traceability

The certified values are based on the results of analytical techniques previously used for purity assessment of solid mycotoxins. High purity material represents a practical realization of concentration units, through conversion of mass to molar quantity.

Product name	Lot number	Amount per vial requested	Measured volume	Measurement unit	Methanol volume
Deoxynivalenol	DON18112601	3,20	3,20	mL	100mL
Nivalenol	NIV17102302	8,00	8,00	mL	100mL
Fusarenon-X	FUS19060401	3,20	3,20	mL	100mL
15-Acetoxyscirpenol	MAS17103002	1,52	1,52	mL	100mL
3-Acetyl-Deoxynivalenol	3ACD18090302	2,00	2,00	mL	100mL
15-Acetyl-Deoxynivalenol	15ACD18042401	2,00	2,00	mL	100mL
Diacetoxyscirpenol	DAS18040301	2,96	2,96	mL	100mL



Neosolaniol	NEO17021502	1,52	1,52	mL	100mL
T2 Triol	TRI18061401	1,04	1,04	mL	100mL
HT2 Toxin	HT219033101	1,60	1,60	mL	100mL
T2 Toxin	T218042301	0,24	0,24	mL	100mL
Zearalanone	ZEA18082702	1,30	1,30	mL	100mL
Alpha Zearalanol	SS-AZL-17071801	0,40	0,40	mL	100mL
Beta Zearalanol	SS-BZL-17071801	0,40	0,40	mL	100mL

#### References:

- NF ISO 33401 (2024), Reference Materials Contents of certificates, labels and accompanying documentation.
- ISO 17034 (2016) General requirements for the competence of reference material producers.
- ISO/IEC 17025 (2017) General requirements for the competence of testing and calibration laboratories.
- ISO 33405 (2024), Reference Materials Approaches for characterization and assessment of homogeneity and stability.
- ISO TR 16476 (2016) Reference Materials Establishing and expressing metrological traceability of quantity values assigned to reference materials.
- JCGM 100(2008) (E) Evaluation of measurement data Guide to the expression of uncertainty in measurement.

### **Control and Certification**

Edited by: Quality Control department Release by: Quality Assurance department

BUTHION Alicia Jean-Michel HENRY

Date: 25-Jun-2025