

CERTIFICATE OF ANALYSIS
Standard Solution of Trichothecenes mixture SF2 Concentrated 5X in Methanol LCMS grade
Description of the standard

	Product name:	Standard Solution of Trichothecenes mixture SF2 Concentrated 5X		
	Product number:	FIA000327		
	CAS number:	3-Acetyl-Deoxynivalenol	50722-38-8	
		15-Acetyl-Deoxynivalenol	88337-96-6	
		Deoxynivalenol	51481-10-8	
		15-Acetoxy-scirpenol	2623-22-5	
		T2 Triol	34114-98-2	
	Batch:	SF25X20091501		
	Expiry date:	15-Mar-2028		
	Certified value (s):	3-Acetyl-Deoxynivalenol	10,00	mg/L
		15-Acetyl-Deoxynivalenol	10,00	mg/L
		Deoxynivalenol	92,00	mg/L
		15-Acetoxy-scirpenol	7,20	mg/L
		T2 Triol	5,00	mg/L
	Physical description:	Clear solution of toxins mixture in Methanol LCMS grade		
	Packing	Amber glass vial filled with 30 mL of solution		
	Storage conditions	≤ -10°C		
	Matrix and starting material:	This material was prepared with/from:		
		Methanol LCMS Grade	Batch:	P6C761316C
		3-Acetyl-Deoxynivalenol	Internal ID:	AD009Ba
		15-Acetyl-Deoxynivalenol	Internal ID:	ADO010Ad
		Deoxynivalenol	Internal ID:	DON017Aa
		15-Acetoxy-scirpenol	Internal ID:	MAS003Cd
		T2 Triol	Internal ID:	TRI010Ab

Intended use of the standard:

For laboratory use only. Not for drug, household or other uses. The main purpose of this material is :

- Demonstrate mastery of a measurement process within a laboratory over a given period;
- Check the performance of the instrument;
- Repeatability and reproducibility studies: repeated use over a long period of time, instruments, operators, etc., to estimate the long-term reproducibility or robustness of a measuring process or that of a laboratory;
- Confirm the degree of equivalence of measurement results from at least two laboratories (e.g. supplier and user);
- Check variability due to the operator;
- Study the impact of any variation in environmental conditions (e.g. temperature, humidity).

Instruction for the correct use of the standard:

The vial should be stored in a dark place at ≤ -10°C . Before usage of the standard, allow the vial to warm to room temperature. If condensation is present on the bottle, the bottle should be wiped before opening. Homogenization can be done by vortexing for at least 10 seconds. There is no indication as to the vortex speed, but the vortex must be visible to the user. The bottle should not be left open on the bench, it should be opened only to take the necessary quantity and immediately closed. The expiry date of this standard is based on the current knowledge and holds only for proper storage conditions in the originally closed vials / packages.

Hazardous situation:

H225 : Flammable liquid - Category 2 - Highly flammable liquid and vapour
 H301 : Acute toxicity - Oral - Category 3 - Toxic if swallowed
 H311 : Acute toxicity - Dermal - Category 3 - Toxic in contact with skin
 H331 : Acute toxicity - Inhalation - Category 3 - Toxic if inhaled
 H370 : Acute toxicity - Organs - Category 1 - Causes damage to organs

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid exposure. Wear suitable protective clothing.

Safety measures:

Special care must be taken when manipulating this standard. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Use in a chemical fume hood. Safety shower and eye bath must be near. In case of spills, cover and absorb with an inert dry material such as dry-lime, sand or soda ash and place in an appropriate waste disposal container.

Keep container tightly closed. Do not store in direct sunlight. Keep away from heat, sparks, flame and incompatible material. Storage area should be cool, dry and away from incompatible materials.

Final users should conduct their own investigations to determine the suitability of the information for their particular research purposes. Under no circumstances will the supplier of this standard be held responsible for any damage resulting from handling or contact with the product.

More information are available on the SDS online on www.fianovis.com/documentation.

Commutability

As part of the standards produced by Fianovis, the property values are guaranteed for chromatography analysis. For another use, the user must make additional qualification to use it in this context.

Traceability

The certified values are based on the results of analytical techniques previously used for purity assessment of solid mycotoxins. High purity material represents a practical realization of concentration units, through conversion of mass to molar quantity.

Customer	Date	Product name	Lot number	Amount per vial requested	Weight measured	Measurement unit	Methanol volume
Qualtech54	15/09/2026	3-Acetyl-Deoxynivalenol	AD009Ba	2,50	2,505	mg	250mL
Qualtech54	15/09/2026	15-Acetyl-Deoxynivalenol	ADO010Ad	2,53	2,53	mg	250mL
Qualtech54	15/09/2026	Deoxynivalenol	DON017Aa	23,29	23,29	mg	250mL
Qualtech54	15/09/2026	15-Acetoxy-scirpenol	MAS003Cd	1,80	1,805	mg	250mL
Qualtech54	15/09/2026	T2 Triol	TRI010Ab	1,26	1,27	mg	250mL

References:

- NF ISO 33401 (2024), Reference Materials - Contents of certificates, labels and accompanying documentation.
- ISO 17034 (2016) General requirements for the competence of reference material producers.
- ISO/IEC 17025 (2017) General requirements for the competence of testing and calibration laboratories.
- ISO 33405 (2024), Reference Materials - Approaches for characterization and assessment of homogeneity and stability.
- ISO TR 16476 (2016) Reference Materials – Establishing and expressing metrological traceability of quantity values assigned to reference materials.
- JCGM 100(2008) (E) – Evaluation of measurement data - Guide to the expression of uncertainty in measurement.

Control and Certification

Edited by: Quality Control department

Juliette Chaillot

Date: 15-Sep-2026

Release by: Quality Assurance department

Jean-Michel HENRY

